

- MD-Temp Plus -

METABIOMED CO., LTD.

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : MD-Temp Plus

Product code : D1MDTW0, D1MDTP0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Dental temporary filling material

1.3. Details of the supplier of the safety data sheet

Registered company name : METABIOMED CO., LTD.

Address : Head Office & Osong Factory) 270, Osongsaengmyeong1-ro, Osong-eup, Heungdeok-gu, Cheongju-si, Chungcheongbuk-do, Korea

Cheongju Factory) 136, Mochung-ro, Seowon-gu, Cheongju-si, Chungcheongbuk-do, Korea

Telephone : (82-43) 216-0433, 0434 Fax : (82-43) 216-0438

e-mail : info@meta-biomed.com

Manufacturer : METABIOMED CO., LTD.

1.4. Emergency telephone number

(82-43) 216-0433, 0434

2. Hazards identification

- Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- Label elements

Labelling according to Regulation (EC) No 1272/2008

* Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the CLP regulation.







- MD-Temp Plus -

METABIOMED CO., LTD.

- Signal word	: Warning
- Hazard statement(s)	: H319 Causes serious eye irritation.
	H410 Very toxic to aquatic life with long lasting effects.
- Precautionary Statement(s)	:
Prevention	P264 Washthoroughly after handling
	P273 Avoid release to the environment.
	P280 Wear protective gloves/protective clothing/eye protection/ face
	protection
- Response	: P305+P351+P338 IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to do. Continue
	rinsing.
	P337+P313 If eye irritation persists: Get medical advice/attention.
- Disposal	: P501 Dispose of contents/container according to the related
	regulations
2.3. Other hazards (accordin	g to the NFPA Rating System)
- Health : 2	
- Flammability : 1	
- Reactivity : 0	


3. Composition/information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

CAS No.	EC No.	Wt.%	according to Directive 67/548/EEC	Classification according to Regulation(EC) No 1272/2008[CLP]
103-23-1	203-090-1	17.44	-	H316, H361, H400
1314-13-2	215-222-5	19.5	R50/53 S60, S61	H410, P273, P501
10034-76-1	231-900-3	57.92	-	H315, H319, H335, P261, P264, P271, P280, P302+P352, P304+P340, P305+P351+P338, P312, P321, P332+P313, P337+P313, P362, P403+P233, P405, P501
9003-22-9	-	5.06	-	-
	103-23-1 1314-13-2 10034-76-1	103-23-1 203-090-1 1314-13-2 215-222-5 10034-76-1 231-900-3	103-23-1 203-090-1 17.44 1314-13-2 215-222-5 19.5 10034-76-1 231-900-3 57.92	Infective 67/548/EEC 103-23-1 203-090-1 17.44 - 1314-13-2 215-222-5 19.5 R50/53 S60, S61 10034-76-1 231-900-3 57.92 -



- MD-Temp Plus -

METABIOMED CO., LTD.

4. First aids measures

4.1. Description of first aid measures			
- Eyes	: Get medical aid immediately if discomfort or irritation persists		
- Skin	: Consult physician immediately if you feel discomfort.		
- Inhalation	: Remove patient from exposure to fresh air immediately. Administer approved		
	oxygen supply if breathing is difficult and get medical aid immediately.		
- Ingestion	: Seek immediate medical help.		
4.2. Most important symptoms and effects, both acute and delayed			
- Eyes	: Causes eye burns.		
- Skin	: Causes skin burns.		
- Inhalation	: None expected for this product		
- Ingestion	: Ingestion of this material can cause mouth, throat, esophageal, and gastrointestinal		
	tract irritation.		
4.3. Indication of any immediate medical attention and special treatment needed			
No further relevant ir	nformation available		

5. Fire fighting measures

: Suitable - Carbon Dioxide, Sand, Extinguishing powder. Do not use water.		
: Not suitable - Water, Water with full jet		
the substance or mixture		
: SOX, ZnO, Chlorine.		
: Not Determined		
: General: Evacuate all personnel; use protective equipment for fire-		
fighting. Use self-contained breathing apparatus when product is		
involved in fire.		
: Non-combustible		

6.1. Personal precautions, protective equipment and emergency procedures

Give special attention to chemical materials and conditions that must be avoided.



- MD-Temp Plus -

METABIOMED CO., LTD.

6.2. Environmental precautions

Prevent the inflow of this product to waterways, drains, basements, and confined spaces.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents.

6.4. Reference to other sections

Not Applicable

7. Handling and storage

7.1. Precautions for safe handling

Follow all prevention measures on the SDS/labels.

Handle and store with care.

Give special attention to chemical materials and conditions that must be avoided.

Wear personal protective equipment while handing the product.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of reach of children. Keep container closed. Store in cool place.

7.3. Specific end use(s)

Use only professional dentist

8. Exposure controls and personal protection

Not determined	
8.2. Exposure controls	
- Eye protection : V	Wear safety glasses.
- Skin protection : V	Wear suitable protective clothing and gloves.
- Respiratory protection : 0	Good general ventilation should be sufficient to control airborne levels.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties			
- Appearance	: Paste	- Vapor pressure	: N/A
- Odor	: Odorless:	- Vapor density	: N/A
- Color	: White or Pink	- Relative density	: >1.0
- pH	: N/A	- Solubility(ies)	: N/A
- Melting/freezing point	: N/A	- Partition coefficient :	: N/A
- Initial boiling point and	: N/A	n-octaol/water	

Material Safety Data Sheet

- MD-Temp Plus -

METABIOMED CO., LTD.

boiling range		- Auto-ignition temperature	: N/A
- Flash point	: N/A	- Decomposition temperature	
- Evaporation rate	: N/A	- Viscosity	: N/A
- Flammability(solid, gas)	: N/A	- Explosive properties	: N/A
- Upper/lower flammability or	: N/A	- Oxidising properties	: N/A
explosive limits			
9.2. Other information			
None			

10. Stability and reactivity

10.1. Reactivity
Stable
10.2. Chemical stability
Stable when stored and handled under recommended conditions.
10.3. Possibility of hazardous reactions
None
10.4. Conditions to avoid
Humidity, Extreme heat, Direct light
10.5 Incompatible materials
N/A
10.6. Hazardous decomposition products
SO _x , ZnO, Chlorine

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity Device is biocompatible when used as directed by dental professionals per ISO 10993-1.

12. Ecological information

12.1. Toxicity

- Toxicity : Not determined
- Aquatic toxicity(acute) : Not determined

12.2. Persistence and degradability

Not determined



- MD-Temp Plus -

METABIOMED CO., LTD.

12.3. Bioaccumulative potential

Not determined

12.4. Mobility in soil

Not determined

12.5. Results of PBT and vPvB assessment

Not determined

12.6. Other adverse effects

None known

13. Disposal considerations

13.1. Waste treatment methods

Dispose of in compliance with governmental regulation.(Council Directive 75/442/EEC(1975))

14. Transport information

14.1 LIN Number

Classification information on transportation of hazardous materials not available
14.2. UN proper shipping name
N/A
14.3. Transport hazard class(es)
N/A
14.4. Packing Group
N/A

N/A

14.5. Environmental hazards

N/A


14.6. Special precautions for user

- ADR road : N/A
- RID rail : N/A
- IMDG sea : N/A

- IATA - air : N/A

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk : N/A



- MD-Temp Plus -

METABIOMED CO., LTD.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : See Section 11

16. Other information

The information contained in the Safety data sheet is correct to the best of our knowledge at the date of issue. It is intended as a guide for the safe use, handling, disposal, storage and transportation and is not intended as warranty or as a specification. The information relates only to the product specified and may not be suitable for combinations with other materials or in processes other than those specifically described herein.

<u>HISTORY</u>

- Date of creation	: 13-07-2016
- Revision number and Revision date	
* Revision number	: 1
* Date of last revision	: 29-12-2017
- Prepared by	: METABIOMED CO., LTD.